

JC  
JCVSCS 05 MAY 2004

MAY 05 2004

1:07 PM FR DYKEMA GOSSETT PLLC029068673 TO 917037469195

P.01

66044-1880-5

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Art Unit: 3752

Steve L. SWEETON

Serial No.: 10/756,546

Filed: January 14, 2004

VIA FACSIMILE 703-746-9195

DUAL DISCHARGE TRIGGER SPRAYER

\* \* \* \* \*  
REQUEST CORRECTION OF FILING RECEIPT

May 5, 2004

Office of Initial Patent Examination's  
Customer Service Center  
Commissioner for Patents  
P. O. Box 1450  
Alexandria, VA 22313-1450

Sir:

In the filing receipt (copy enclosed), the City of applicant is incorrectly spelled,  
the correct spelling should be Lake WINNEBAGO.

Please forward the corrected filing receipt at your early convenience.

Respectfully submitted,

*Lawrence R. Radanovic*

Lawrence R. Radanovic, Reg. No. 23,077

Attorney for Applicant

Enclosure  
DYKEMA GOSSETT PLLC  
Suite 300 West  
1300 I Street, N. W.  
Washington, D.C. 20005  
(202) 906-8624

DC01\79453.1  
ID\LRK



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/756,546	01/14/2004	3752	770	66044-1880-5	2	10	3

CONFIRMATION NO. 3839

25269  
DYKEMA GOSSETT PLLC  
FRANKLIN SQUARE, THIRD FLOOR WEST  
1300 I STREET, NW  
WASHINGTON, DC 20005

## FILING RECEIPT



\*OC000000012394112\*

APR 22 2004

Date Mailed: 04/20/2004

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s) *Winnegabo*  
Steve L. Sweeton, Lake Winnegabo, MO;

Assignment For Published Patent Application  
Saint-Gobain Calmar Inc.;

Domestic Priority data as claimed by applicant

Foreign Applications

If Required, Foreign Filing License Granted: 04/19/2004

Projected Publication Date: 07/14/2005

Non-Publication Request: No

Early Publication Request: No

Title

Dual discharge trigger sprayer

DUE \_\_\_\_\_  
EOL \_\_\_\_\_  
ENTERED BY ASB ON *4/22/04*